

ACTIVE INGREDIENTS:

Indaziflam	0.089%
Diquat dibromide	0.890%
Glyphosate isopropylamine salt	
OTHER INGRÉDIENTS:	78.561%

TOTAL: EPA Reg. No. 432-1528

Net Contents 32 Fl. Oz. 84959022 84983721A 130122AV4

KEEP OUT OF REACH OF CHILDREN

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.

See inside leaflet for complete First Aid Instructions, Precautionary Statements, Directions for Use and Storage and Disposal Instructions. Non-selective control of emerged and pre-emerged grasses and broadleaf weeds in Non-Crop Areas including, Paths, Parking Lots, Curbs, Sidewalks, Driveways, Around Buildings, Gravel areas, Loading Ramps, Educational Facilities, Storage Yards, Vacant Lots, Railroad and Rail Yards, Managed Roadsides, Fence Rows, Utilities, Parks, Hardscapes (including crack and crevice), Industrial, Municipal, Mulched Areas, and Government Sites

- Dual Action formula kills existing weeds & grasses plus, Prevents New Weeds & grasses for up to 6 months
- · Rainproof in 30 minutes
- Visible Results in Hours
- · Simple, Convenient, Easy to use
- · An easier way to manage large areas of unwanted weeds & grasses

	FIRST AID
lf Swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
lf on Skin	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for further treatment advice.
lf in Eyes	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
going for trea Active Ingred	the product container or label with you when calling a poison control center or doctor or timent. You may call toll-free 1-800-334-7577 for medical emergency information. ients: 20.460% glyphosate isopropylamine salt (CAS No. 38641-94-0), 0.890% diquat di- S No. 85-00-7), and 0.089% indazifiam (CAS No. 950782-86-2).

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, and plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This chemical has properties and characteristics associated with chemicals detected in groundwater. This chemical may leach into ground water if used in areas where soils are permeable, particularly where the water table is shallow. This pesticide may impact water quality due to runoff or rainwater. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having a high potential for reaching surface water via runoff for several months or more after application.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. PRODUCT APPLICATION RESTRICTIONS

- Do not use this product in or around vegetable gardens or in landscaped areas where young plants will soon be planted within 6 months after treatment.
- · This product is not intended to be used on turf grass.
- · Apply when the air is calm to avoid spray drift onto desirable plants.
- Avoid tracking product onto desirable vegetation do not walk on treated area until the spray has dried.
- If spraying near the base of established plants (plants that have been in the ground at the same location for two or more years), shield them from spray drift using cardboard, plastic, or other materials. If the spray accidentally contacts a desirable plant, rinse it off immediately with water.
- · Note: Do not apply using a steel sprayer, except stainless steel.
- 2. USE AMOUNT
 - Apply to small and actively growing weeds. Best results will be achieved when temperatures are above 60 ° F.
 - · Thoroughly spray existing weeds and the entire area that you want protected.
 - · Certain hard-to-kill weeds can be re-sprayed 1 month after initial treatment using spot treatment.
 - · Add 8 -16 oz of product per 1 gallon of water.

· Shake bottle well before use. Add appropriate amounts of water & product to spray tank.

Rate	Add To	Covers
8 fl oz Product	1 gallon of water	500 square feet
16 fl oz Product	1 gallon of water	1000 square feet

Note: Do Not Apply more than a maximum of 5.4 gallons of product per acre per year.

3. FOR BEST RESULTS

WHEN TO APPLY

- Spray when weeds are small and actively growing when temperatures are above 60° F and when it
 is sunny.
- · Certain hard-to-kill weeds may be re-treated in 2 weeks using spot application if necessary.
- · Disturbing the weed preventative barrier may reduce the effectiveness of this product.
- · Rain or watering 30 minutes after application will not wash away effectiveness.
- Under drought conditions, it may be necessary to water the product in. Irrigate to move the residual herbicide into the soil, but not to the point of visible runoff.

REPLANTING

 Ornamental bedding plants (annuals, perennials), trees, shrubs, sod & seed may be planted 6 months after application.

CLEAN UP

 Triple rinse the spray tank and flush all sprayer components with water to remove residual product. Empty the rinse water onto bare soil or gravel.

4. WHAT IT DOES

This product contains a proven blend of weed & grass killers to kill existing weeds & grasses plus a proprietary residual herbicide to keep new ones from coming back. Existing weeds & grasses begin to wilt & die within hours and new ones will not grow for up to 6 months.

5. WERE TO USE

Non-selective control of emerged and pre-emerged grasses and broadleaf weeds in Non-Crop Areas including, Paths, Parking Lots, Curbs, Sidewalks, Driveways, Around Buildings, Educational Facilities, Gravel Areas, Loading Ramps, Storage Yards, Vacant Lots, Railroad and Rail Yards, Managed Roadsides, Fence Rows, Utilities, Parks, Hardscapes (including crack and crevice), Industrial, Municipal, Mulched Areas, and Government Sites.

6. WEEDS CONTROLLED

Broadleaf Weeds	Scientific Name
Chickweed, Common	Stellaria media
Chickweed, Mouse-ear	Cerastium vulgatum
Clover, White	Trifolium repens
Corn speedwell	Veronica arvensis
Curly dock	Rumex crispus
Evening primrose, Cutleaf	Oenothera laciniata
Dandelion, Common	Taraxacum officinale
Filaree, redstem	Erodium cicutarium
Fleabane, blackleaved	Conyza bonariensis
Florida pusley	Richardia scabra
Gromwell, Yellow	Amsinckia calycina
Groundsel, common	Senecio vulgaris

continued

Broadleaf Weeds	Scientific Name	
Hairy fleabane	Erigeron bonariensis	
Henbit	Lamium amplexicaule	
Horseweed/Marestail	Erigeron canadensis	
Kochia	Kochia scoparia	
Lambsquarters, common	Chenopodium album	
Lespedeza, Serecia	Lespedeza cuneata	
London rocket	Sisymbrium irio	
Mustard, Wild	Sinapis arvensis	
Spotted spurge	Euphobia maculata	
Prostrate spurge	Euphorbia humifusa	
Ragweed, Common	Ambrosia artimisiifolia	

continued

Broadleaf Weeds	Scientific Name	
Redroot pigweed	Amaranthus retroflexus	
Shepherd's-purse	Capsella bursa-pastoris	
Sida, Prickly / Teaweed	Sida spinosa	
Sowthistle, Annual	Sonchus olerachus	
Sunflower, Common	Helianthus spp.	
Velvetleaf	Albutilon theophrasti	
Vetch, Common	Vicia sativa	
Wild mustard	Sinapis arvensis	
Grass Weeds	Scientific Name	
Annual bluegrass/ 'Poa'	Poa annua	
Barnyardgrass, common	Echinochloa crus-galli	

Grass Weeds	Scientific Name	
Cheatgrass	Bromus secalinus	
Crabgrass	<i>Digitaria</i> sp	
Crabgrass, Large/Hairy	Digitaria sanguinalis	
Crabgrass, Smooth	Digitaria ischaemum	
Foxtail brome	Bromus rubens	
Foxtail, Giant	Setaria faberi	
Foxtail, Green	Setaria viridis	
Foxtail, Yellow	Setaria glauca	
Goosegrass	Eleusine indica	
Ryegrass, Italian	Lolium multiflorum	
Ryegrass, Perennial	Lolium perenne	

ESPLANADE® EZ AROUND ORNAMENTALS

Avoid contact of ESPLANADE EZ with foliage, stems, green bark, or bare roots of turfgrasses, trees, shrubs, or other listed desirable vegetation, since severe damage may result. If spraying areas adjacent to desirable plants with ESPLANADE EZ, use a shield while spraying to help prevent spray from contacting foliage of desirable plants.

When spraying around the base of established plants (plants that have been in the ground at the same location for two or more years), shield them from spray drift using cardboard, plastic, or other materials. If the spray accidentally contacts a desirable plant, rinse it off immediately with water. When tank mixing with other products, it is the responsibility of the end-user/applicator to ensure that the tank-mix partner is registered in the state where the application is being made.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Protect ESPLANADE EZ, from freezing temperatures.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous.

Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL. Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available or reconditioning, if appropriate. Then puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties, and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties, and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience LP. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP MAKES NO OTHER WARRANTIES, EXPRESS ON IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATE-MENTS MADE ON THIS LABEL. No agent of Bayer CropScience LP is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP DISCLAIMS ANY LIABILITY WHAT-SOEVERF FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OD HANDLING OF THIS PRODUCT. LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW THE EXCLUSIVE REMEDY OF THE USER ON BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEG-LIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE LP'S ELECTION, THE REPLACEMENT OF PRODUCT.

Bayer (reg'd), the Bayer Cross (reg'd), Esplanade® and Finale® are registered trademarks of Bayer.

Produced for: Bayer Environmental Science A Division of Bayer CropScience LP 2 T. W. Alexander Drive Research Triangle Park, NC 27709

Bayer

EsplAnade[®]

ACTIVE INGREDIENTS:

Indaziflam	0.089%
Diguat dibromide	0.890%
Glyphosate isopropylamine salt OTHER INGREDIENTS:	20.460%
TOTAL:	100.00%
EPA Reg. No. 432-1528	
KEEP OUT OF REACH OF	CHILDREN

EP OUT OF REACH OF CHILDR CAUTION

Net Contents 32 Fl. Oz. 84959022 84983721A 130122AV4 Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.

See attached leaflet for complete First Aid Instructions, Precautionary Statements, Directions for Use and Storage and Disposal Instructions.

Produced for: Bayer Environmental Science A Division of Bayer CropScience LP 2 T. W. Alexander Drive Research Triangle Park, NC 27709

	FIRST AID	PRECAUTIONARY
lf Swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.	STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION Harmful if swallowed or absorbed through skin.
lf on Skin	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for further treatment advice. 	Causes moderate ey irritation. Avoid contact wit skin, eyes, or clothing.
lf in Eyes	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.	Wash thoroughly with soa and water after handlin and before eating, drinking chewing gum, usin tobacco or using the toile Remove and was
or doctor or g emergency i Active Ingred	ients: 20.460% glyphosate isopropylamine salt (CAS No. 38641-94-0), at dibromide (CAS No. 85-00-7), and 0.089% indaziflam (CAS No.	contaminated clothin before reuse.