

Revision date : 2016/11/28 Version: 4.0 Page: 1/15 (30628495/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

PRO-CONTROL PLUS TOTAL RELEASE AEROSOL INSECTICIDE

Recommended use of the chemical and restriction on use

Recommended use*: insecticide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

<u>Company:</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number:414057EPA Registration number:499-462Synonyms:Pyrethrins + cyfluthrin + piperonyl butoxide

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Skin Corr./Irrit.	2	Skin corrosion/irritation
STOT SE	3 (Vapours may cause	Specific target organ toxicity — single exposure
	drowsiness and	
	dizziness.)	

Revision date : 2016/11/28 Version: 4.0

Page: 2/15 (30628495/SDS_CPA_US/EN)

Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic
Flam. Aerosol	1	Flammable aerosols

Label elements



Signal Word:	
Danger	
Hazard Statement:	
H222	Extremely flammable aerosol.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary Statemen	ts (Prevention):
P210	Keep away from heat, hot surfaces, sparks, open flames and other
	ignition sources. No smoking.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P264	Wash with plenty of water and soap thoroughly after handling.
Precautionary Statemen	nts (Response):
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for
	breathing.
P303 + P352	IF ON SKIN (or hair): Wash with plenty of soap and water.
P391	Collect spillage.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Precautionary Statemen	nts (Storage):
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P410 + P412	Protect from sunlight. Do no expose to temperatures exceeding 50°C/ 122°F.
P405	Store locked up.
Precautionary Statemer	nts (Disposal):
P501	Dispose of contents/container to hazardous or special waste collection point.

Hazards not otherwise classified

Labeling of special preparations (GHS): The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 0 - 1 % dermal

Revision date : 2016/11/28 Version: 4.0

Page: 3/15 (30628495/SDS CPA US/EN)

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 0 - 1 % oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 0 - 1 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 0 - 1 % Inhalation - mist

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Emergency overview

CAUTION: EXTREMELY FLAMMABLE. KEEP OUT OF REACH OF CHILDREN. KEEP OUT OF REACH OF DOMESTIC ANIMALS. HARMFUL IF ABSORBED THROUGH SKIN. Avoid contact with the skin, eyes and clothing. Wash thoroughly after handling. Aerosol container contains flammable gas under pressure.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Weight %	Chemical name
8003-34-7	0.5 %	Pyrethrins
68359-37-5	0.1 %	Cyfluthrin
51-03-6	1.0 %	Piperonylbutoxide
67-64-1	20.0 - 25.0%	Acetone
64742-47-8	>= 1.0 - < 3.0%	Distillates, petroleum

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Weight %	Chemical name
8003-34-7	0.5 %	Pyrethrins
68359-37-5	0.1 %	Cyfluthrin
51-03-6	1.0 %	Piperonylbutoxide
67-64-1		Acetone
115-10-6		dimethyl ether
	<= 98.4%	Proprietary ingredients

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

Revision date : 2016/11/28 Version: 4.0

Page: 4/15 (30628495/SDS_CPA_US/EN)

If on skin:

Wash thoroughly with soap and water.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Indication of any immediate medical attention and special treatment needed

Note to physician Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: foam, dry powder, carbon dioxide, water spray

Special hazards arising from the substance or mixture

Hazards during fire-fighting: carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluoride, halogenated hydrocarbons, hydrocarbons

If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Advice for fire-fighters

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Revision date : 2016/11/28 Version: 4.0

Page: 5/15 (30628495/SDS CPA US/EN)

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

Storage stability: May be kept indefinitely if stored properly. If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet. Protect from temperatures above: 130 °F Explosive at or above indicated temperature.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Revision date : 2016/11/28 Version: 4.0		Page: 6/15 (30628495/SDS_CPA_US/EN)
Acetone	OSHA PEL	PEL 1,000 ppm 2,400 mg/m3;TWA value 750 ppm 1,800 mg/m3;STEL value 1,000 ppm 2,400 mg/m3;
	ACGIH TLV	STEL value 500 ppm ; TWA value 250 ppm ;
Distillates, petroleum		
	ACGIH TLV	TWA value 200 mg/m3 Non-aerosol (total hydrocarbon vapor);
		Application restricted to conditions in which there are negligible aerosol exposures.
		Skin Designation Non-aerosol (total
		hydrocarbon vapor); The substance can be absorbed through the skin.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

Revision date : 2016/11/28 Version: 4.0 Page: 7/15 (30628495/SDS_CPA_US/EN)

9. Physical and Chemical Properties

p) I vade. approx. 3.5 ° r.3 (1 %(m), approx. 22.5 °C) Melting point: approx141 °C Information applies to the propellant. Flash point: > -42 °C Information applies to the propellant. Flash point: > -42 °C Information applies to the propellant. Flammability: Extremely flammable. (air) VPPducts: Lower explosion limit: 3.4 %(V) (air) Upper explosion limit: 18 %(V) (air) Upper explosion limit: 18 %(V) (air) Autoignition: approx. 235 °C Information applicable Information applicable Information applicable Information applicable Information on: 1, 3-Benzodioxole, 5-[[2-(2-butoxyethoxy]methyl]-6-propyl- Partitioning coefficient n- approx. 5 octanol/water (log Pow): (25 °C)	Form: Odour: Odour threshold: Colour:	aerosol characteristic, of acetone Not determined due to potential health hat straw yellow to orange cloudy approx. 5.5 - 7.5	zard by inhalation.
Information applies to the propellant.Flash point:> -42 °CInformation applies to the propellant.Flammability:Extremely flammable.(calculated)NFPA 30B flammability:Level 2 AerosolFlammability of Aerosol> 45 cmProducts:Lower explosion limit:Lower explosion limit: $3.4 % (V)$ (air)Upper explosion limit:18 % (V)(air)Autoignition:approx. 235 °CInformation applies to the propellant.Density:approx. 0.93 g/cm3 (20 °C)Vapour density:not applicableInformation on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy]methyl]-6-propyl- Partitioning coefficient n- approx. 5Octanol/water (log Pow):(25 °C)92/69/EEC, A.8)Thermal decomposition:carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluorideStable at ambient temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:approx. 1.81 mPa.s (19.4 °C)Solubility in water:dispersibleEvaporation rate: out applicableOther Information:If necessary, information on other physical and chemical	pH value:	(1 %(m), approx. 22.5 °C)	
Information applies to the propellant. Flammability: Extremely flammable. (calculated) NFPA 30B flammability: Level 2 Aerosol Flammability of Aerosol > 45 cm Products:	Meiting point:		
Flammability: Extremely flammable. (calculated) NFPA 30B flammability: Level 2 Aerosol > 45 cm Products:	Flash point:	> -42 °C	
Upper explosion limit:18 %(V)(air)Autoignition:approx. 235 °CInformation applies to the propellant.Density:approx. 0.93 g/cm3 (20 °C)Vapour density:not applicableInformation on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-Partitioning coefficient n- octanol/water (log Pow):approx. 5(25 °C)92/69/EEC, A.8)	NFPA 30B flammability: Flammability of Aerosol	Extremely flammable. Level 2 Aerosol	(calculated)
Autoignition: approx. 235 °C Information applies to the propellant. Density: approx. 0.93 g/cm3 (20 °C) Vapour density: not applicable Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl- Partitioning coefficient n- octanol/water (log Pow): approx. 5 (25 °C) 92/69/EEC, A.8) Thermal decomposition: carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluoride Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat. Viscosity, dynamic: approx. 1.81 mPa.s (19.4 °C) Solubility in water: dispersible Evaporation rate: not applicable Other Information: If necessary, information on other physical and chemical		3.4 %(V)	(air)
Information applies to the propellant.Density:approx. 0.93 g/cm3 (20 °C)Vapour density:not applicable Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl- Partitioning coefficient n- octanol/water (log Pow):(25 °C)92/69/EEC, A.8)Thermal decomposition:carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluorideStable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:approx. 1.81 mPa.s (19.4 °C)Solubility in water:dispersible not applicableOther Information:If necessary, information on other physical and chemical		18 %(V)	(air)
(20 °C)Vapour density:not applicableInformation on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-Partitioning coefficient n-approx. 5octanol/water (log Pow):(25 °C)92/69/EEC, A.8)Thermal decomposition:carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogenfluorideStable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:approx. 1.81 mPa.s (19.4 °C)Solubility in water:dispersible not applicableOther Information:If necessary, information on other physical and chemical	Autoignition:		
Vapour density:not applicableInformation on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-Partitioning coefficient n- octanol/water (log Pow):approx. 5 (25 °C)(25 °C)Thermal decomposition:carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluorideThermal decomposition:carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluorideViscosity, dynamic:approx. 1.81 mPa.s (19.4 °C)Solubility in water:dispersible not applicableEvaporation rate:not applicableOther Information:If necessary, information on other physical and chemical	Density:	approx. 0.93 g/cm3	
Partitioning coefficient n- octanol/water (log Pow):approx. 5 (25 °C)(Directive 92/69/EEC, A.8)Thermal decomposition:carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluoride Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:approx. 1.81 mPa.s (19.4 °C) dispersible not applicable If necessary, information on other physical and chemical	Vapour density:		
octanol/water (log Pow):(25 °C)92/69/EEC, A.8)Thermal decomposition:carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluoride Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:approx. 1.81 mPa.s (19.4 °C) dispersible not applicable If necessary, information on other physical and chemical	Information on: 1,3-Benzodie	oxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]	-6-propyl-
Thermal decomposition:carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluoride Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:approx. 1.81 mPa.s (19.4 °C)Solubility in water:dispersible not applicable If necessary, information on other physical and chemical			
fluorideStable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:approx. 1.81 mPa.s (19.4 °C)Solubility in water:dispersible to applicableEvaporation rate:not applicableOther Information:If necessary, information on other physical and chemical	octanol/water (log Pow):	(25 °C)	92/69/EEC, A.8)
decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.Viscosity, dynamic:approx. 1.81 mPa.s (19.4 °C)Solubility in water:dispersibleEvaporation rate:not applicableOther Information:If necessary, information on other physical and chemical	Thermal decomposition:	fluoride	
Viscosity, dynamic:approx. 1.81 mPa.s (19.4 °C)Solubility in water:dispersibleEvaporation rate:not applicableOther Information:If necessary, information on other physical and chemical		decomposition temperature toxic vapours	may be released. To
Solubility in water:(19.4 °C)Solubility in water:dispersibleEvaporation rate:not applicableOther Information:If necessary, information on other physical and chemical	Viscosity, dynamic:		
Evaporation rate:not applicableOther Information:If necessary, information on other physical and chemical	••••		
Other Information: If necessary, information on other physical and chemical			
	•		
	Other Information:		l and chemical

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Revision date : 2016/11/28 Version: 4.0 Page: 8/15 (30628495/SDS_CPA_US/EN)

The product is chemically stable.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

organic acids, oxidizing agents, acid anhydrides, strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition: Possible thermal decomposition products:

carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluoride Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Relatively nontoxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

<u>Oral</u> Type of value: LD50 Species: rat Value: 4,180 mg/kg No mortality was observed.

Inhalation Type of value: LC50 Species: rat Value: > 5.42 mg/l Exposure time: 4 h

Dermal Type of value: LD50 Species: rabbit Value: > 2,000 mg/kg No mortality was observed.

Assessment other acute effects

Revision date : 2016/11/28 Version: 4.0

Page: 9/15 (30628495/SDS_CPA_US/EN)

Assessment of STOT single:

Possible narcotic effects (drowsiness or dizziness).

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: May cause slight but temporary irritation to the eyes. Prolonged contact with the product can result in skin irritation.

<u>Skin</u> Species: rabbit Result: non-irritant

<u>Eye</u> Species: rabbit Result: non-irritant

Sensitization

Assessment of sensitization: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. There is no evidence of a skin-sensitizing potential.

modified Buehler test Species: guinea pig Result: Non-sensitizing.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-Assessment of repeated dose toxicity: The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the liver after repeated inhalation of high doses. Repeated dermal uptake of the substance did not cause substance-related effects.

Information on: Acetone

Assessment of repeated dose toxicity: The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the hematological system after repeated ingestion of high doses. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Distillates, petroleum

Revision date : 2016/11/28 Version: 4.0

Page: 10/15 (30628495/SDS_CPA_US/EN)

Assessment of carcinogenicity: Long-term exposure to highly irritating concentrations resulted in skin tumors in animals. A carcinogenic effect in humans can be excluded after brief skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Acetone

Assessment of reproduction toxicity: As shown in animal studies, the product may cause damage to the testes after repeated high exposures that cause other toxic effects.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

<u>Other Information</u> Misuse can be harmful to health.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

12. Ecological Information

Toxicity

Aquatic toxicity Assessment of aquatic toxicity: Acutely toxic for fish.

Toxicity to fish

Information on: pyrethrum LC50 (96 h) 0.0052 mg/l, Oncorhynchus mykiss (static) LC50 (96 h) 0.01 mg/l, Lepomis macrochirus

Information on: CYFLUTHRIN Tech 98% LC50 (96 h) 0.00047 mg/l, Oncorhynchus mykiss

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-LC50 (96 h) 3.49 mg/l, Cyprinodon variegatus (OECD Guideline 203, Flow through.) The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

Information on: Acetone LC50 (96 h) 6,210 mg/l, Pimephales promelas (OECD 203; ISO 7346; 84/449/EEC, C.1, Flow through.) The statement of the toxic effect relates to the analytically determined concentration.

Revision date : 2016/11/28 Version: 4.0

Page: 11/15 (30628495/SDS_CPA_US/EN)

LC50 (96 h) 5,540 mg/l, Oncorhynchus mykiss (Fish test acute, static) Nominal concentration.

Information on: dimethyl ether No observed effect concentration (96 h) > 4,000 mg/l, Poecilia reticulata (other, semistatic) The product is highly volatile. Tested in a closed test system.

Aquatic invertebrates

Information on: pyrethrum EC50 (48 h) 0.012 mg/l, Daphnia magna EC50 (48 h) 0.0014 mg/l, Mysidopsis bahia

Information on: CYFLUTHRIN Tech 98% EC50 (48 h) 0.00016 mg/l, Daphnia magna

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-EC50 (48 h) 0.51 mg/l, Daphnia magna (OECD Guideline 202, part 1, Flow through.) The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. No observed effect concentration (28 d) 0.063 mg/l, aquatic arthropod (other)

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. Limit concentration test only (LIMIT test).

Information on: Acetone

LC50 (48 h) 8,800 mg/l, Daphnia pulex (Daphnia test acute, static) Nominal concentration. LC50 (24 h) 2,100 mg/l, Artemia salina (Daphnia test acute, static) Nominal concentration.

Information on: dimethyl ether No observed effect concentration (48 h) > 4,000 mg/l, Daphnia magna (other, static) The product is highly volatile. Tested in a closed test system.

Aquatic plants

Information on: CYFLUTHRIN Tech 98% EC50 (96 h) > 10 mg/l, Scenedesmus subspicatus

Information on: Acetone Toxic limit concentration (8 d) 530 mg/l (biomass), Microcystis aeruginosa (DIN 38412 Part 9, static) Nominal concentration.

Chronic toxicity to fish

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-No observed effect concentration (35 d) 0.18 mg/l, Pimephales promelas (OPP 72-4 (EPA-Guideline), Flow through.) The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

Information on: pyrethrum No observed effect concentration 0.0019 mg/l, Pimephales promelas

Revision date : 2016/11/28 Version: 4.0

Page: 12/15 (30628495/SDS_CPA_US/EN)

Information on: CYFLUTHRIN Tech 98%

No observed effect concentration (307 d) 0.00014 mg/l, Oncorhynchus mykiss No observed effect concentration (58 d) 0.00001 mg/l, Oncorhynchus mykiss

Chronic toxicity to aquatic invertebrates

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-No observed effect concentration (21 d) 0.03 mg/l, Daphnia magna (OPP 72-4 (EPA-Guideline), Flow through.) The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

Information on: pyrethrum No observed effect concentration (28 d) 0.00086 mg/l, Daphnia magna

Information on: CYFLUTHRIN Tech 98% No observed effect concentration (21 d) 0.00002 mg/l, Daphnia magna

Persistence and degradability

<u>Assessment biodegradation and elimination (H2O)</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulative potential

<u>Assessment bioaccumulation potential</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

Bioconcentration factor: 91 - 380 (28 d), Lepomis macrochirus (OECD Guideline 305 E)

Information on: pyrethrum

Bioconcentration factor: 471 Accumulation in organisms is not to be expected.

Mobility in soil

<u>Assessment transport between environmental compartments</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

Adsorption to solid soil phase is not expected.

Information on: pyrethrum

Revision date : 2016/11/28 Version: 4.0

Page: 13/15 (30628495/SDS_CPA_US/EN)

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: CYFLUTHRIN Tech 98%

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport USDOT

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1, EHSM
Proper shipping name:	AEROSOLS (contains DIMETHYLETHER, PYRETHRINS)
Sea transport IMDG	
Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1, EHSM
Marine pollutant:	YES
Proper shipping name:	AEROSOLS (contains DIMETHYLETHER, PYRETHRINS)
Air transport IATA/ICAO	
Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1
Proper shipping name:	AEROSOLS, FLAMMABLE

Further information

Revision date : 2016/11/28 Version: 4.0

Page: 14/15 (30628495/SDS_CPA_US/EN)

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US blocked / not listed

Crop Protection TSCA, US released / exempt

EPCRA 311/312 (Hazard categories):

Acute; Chronic; Fire; Sudden release of pressure

CERCLA RQ	CAS Number	Chemical name
5000 LBS	67-64-1	Acetone
100 LBS	115-10-6	dimethyl ether
1 LBS	8003-34-7	Pyrethrins

State regulations

State RTK	CAS Number	Chemical name
PA	67-64-1	Acetone
	115-10-6	dimethyl ether
	64742-47-8	Distillates, petroleum
MA	67-64-1	Acetone
	115-10-6	dimethyl ether
	64742-47-8	Distillates, petroleum
NJ	67-64-1	Acetone
	115-10-6	dimethyl ether
	64742-47-8	Distillates, petroleum

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION: EXTREMELY FLAMMABLE. KEEP OUT OF REACH OF CHILDREN. KEEP OUT OF REACH OF DOMESTIC ANIMALS. HARMFUL IF ABSORBED THROUGH SKIN. Avoid contact with the skin, eyes and clothing.

Wash thoroughly after handling. Aerosol container contains flammable gas under pressure.

16. Other Information

SDS Prepared by:

Revision date : 2016/11/28 Version: 4.0

Page: 15/15 (30628495/SDS_CPA_US/EN)

BASF NA Product Regulations SDS Prepared on: 2016/11/28

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE . IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET