

Safety Data Sheet

PT ULTRACIDE PRESSURIZED FLEA INSECTICIDE

Revision date : 2016/11/18
Version: 4.0

Page: 1/15
(30628483/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

PT ULTRACIDE PRESSURIZED FLEA INSECTICIDE

Recommended use of the chemical and restriction on use

Recommended use*: insecticide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: 550555
EPA Registration number: 499-404
Synonyms: Pyriproxyfen + pyrethrins + n-octyl bicycloheptene dicarboximide + permethrin

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Asp. Tox.	1	Aspiration hazard
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic
Flam. Aerosol	1	Flammable aerosols

Label elements

Safety Data Sheet

PT ULTRACIDE PRESSURIZED FLEA INSECTICIDE

Revision date : 2016/11/18
Version: 4.0

Page: 2/15
(30628483/SDS_CPA_US/EN)

Pictogram:



Signal Word:
Danger

Hazard Statement:

H222	Extremely flammable aerosol.
H304	May be fatal if swallowed and enters airways.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H229	Pressurized container: May burst if heated.

Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.

Precautionary Statements (Response):

P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P391	Collect spillage.
P331	Do NOT induce vomiting.

Precautionary Statements (Storage):

P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

Hazards not otherwise classified

Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 16 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 15 % oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 17 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 17 % Inhalation - mist

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Emergency overview

CAUTION:
EXTREMELY FLAMMABLE.
KEEP OUT OF REACH OF CHILDREN.

Safety Data Sheet

PT ULTRACIDE PRESSURIZED FLEA INSECTICIDE

Revision date : 2016/11/18
Version: 4.0

Page: 3/15
(30628483/SDS_CPA_US/EN)

KEEP OUT OF REACH OF DOMESTIC ANIMALS.
HARMFUL IF SWALLOWED.
HARMFUL IF INHALED.
HARMFUL IF ABSORBED THROUGH SKIN.
Do not breathe vapours/mists.
Avoid contact with the skin, eyes and clothing.
Wash thoroughly after handling.
Aerosol container contains flammable gas under pressure.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
95737-68-1	0.1 %	Pyriproxyfen
8003-34-7	0.05 %	Pyrethrins
113-48-4	0.4 %	n-Octyl bicycloheptene dicarboximide
52645-53-1	0.4 %	Permethrin
64742-47-8	10.0 - 15.0%	Distillates, petroleum
68476-86-8	10.0 - 15.0%	Petroleum gases, liquefied, sweetened

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
95737-68-1	0.1 %	Pyriproxyfen
8003-34-7	0.05 %	Pyrethrins
113-48-4	0.4 %	n-Octyl bicycloheptene dicarboximide
52645-53-1	0.4 %	Permethrin
64742-47-8	< 10.0%	Distillates, petroleum
68476-40-4	<= 30.0%	Hydrocarbons, C3-4
	>= 80.0%	Proprietary ingredients

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Safety Data Sheet

PT ULTRACIDE PRESSURIZED FLEA INSECTICIDE

Revision date : 2016/11/18
Version: 4.0

Page: 4/15
(30628483/SDS_CPA_US/EN)

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.
Hazards: Vomiting may cause aspiration pneumonia due to the ingredients.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
foam, dry powder, carbon dioxide, water spray

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, carbon dioxide, Hydrogen chloride, nitrogen oxides, halogenated hydrocarbons
The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Advice for fire-fighters

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

Safety Data Sheet

PT ULTRACIDE PRESSURIZED FLEA INSECTICIDE

Revision date : 2016/11/18
Version: 4.0

Page: 5/15
(30628483/SDS_CPA_US/EN)

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

Storage stability:

May be kept indefinitely if stored properly.

If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

Protect from temperatures above: 130 °F

Explosive at or above indicated temperature.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Distillates, petroleum

ACGIH TLV	TWA value 200 mg/m ³ Non-aerosol (total hydrocarbon vapor); Application restricted to conditions in which there are negligible aerosol exposures. Skin Designation Non-aerosol (total hydrocarbon vapor); The substance can be absorbed through the skin.
-----------	---

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Safety Data Sheet

PT ULTRACIDE PRESSURIZED FLEA INSECTICIDE

Revision date : 2016/11/18
Version: 4.0

Page: 6/15
(30628483/SDS_CPA_US/EN)

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	aerosol
Odour:	characteristic
Odour threshold:	Not determined due to potential health hazard by inhalation.
Colour:	white
pH value:	approx. 6 - 8 (23.7 °C) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.
Melting point:	approx. -30 °C Information applies to the solvent.
Flammability:	Extremely flammable.
NFPA 30B flammability:	Level 1 Aerosol
Flammability of Aerosol	0 in
Products:	no flashback

Safety Data Sheet

PT ULTRACIDE PRESSURIZED FLEA INSECTICIDE

Revision date : 2016/11/18

Version: 4.0

Page: 7/15

(30628483/SDS_CPA_US/EN)

Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Density:	approx. 0.96 g/cm ³ (20 °C)
Vapour density:	not applicable
Thermal decomposition:	carbon monoxide, carbon dioxide, Hydrocarbons, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, halogenated hydrocarbons Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.
Viscosity, dynamic:	not determined
Solubility in water:	dispersible
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

No substances known that should be avoided.

strong oxidizing agents, strong acids, aldehydes, amines, chlorinated hydrocarbons

Hazardous decomposition products

Decomposition products:

Safety Data Sheet

PT ULTRACIDE PRESSURIZED FLEA INSECTICIDE

Revision date : 2016/11/18
Version: 4.0

Page: 8/15
(30628483/SDS_CPA_US/EN)

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, Hydrocarbons, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, halogenated hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Relatively nontoxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Oral

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

Inhalation

Type of value: LC50

Species: rat

Value: > 5.12 mg/l

Dermal

Type of value: LD50

Species: rabbit

Value: > 2,000 mg/kg

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Causes substantial but temporary eye injury. May cause slight irritation to the skin.

Skin

Species: rabbit

Result: moderately irritating

Prolonged contact with the product can result in skin irritation.

Eye

Safety Data Sheet

PT ULTRACIDE PRESSURIZED FLEA INSECTICIDE

Revision date : 2016/11/18
Version: 4.0

Page: 9/15
(30628483/SDS_CPA_US/EN)

Species: rabbit
Result: Moderately to severely irritating.

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Buehler test

Species: guinea pig
Result: Skin sensitizing effects were not observed in animal studies.

Information on: Permethrin

Stevens-Test / ZENECA

Species: guinea pig

Result: Skin sensitizing effects were not observed in animal studies.

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-

Species: guinea pig

Result: Non-sensitizing.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Permethrin

Assessment of repeated dose toxicity: The substance may cause damage to the peripheral nervous system after repeated ingestion of high doses. The substance may cause damage to the peripheral nervous system after repeated skin contact with high doses.

Information on: n-Octyl bicycloheptene dicarboximide

Assessment of repeated dose toxicity: The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-

Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

Information on: pyrethrum

Assessment of carcinogenicity: The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Not Likely to Be Carcinogenic to Humans.

Reproductive toxicity

Safety Data Sheet

PT ULTRACIDE PRESSURIZED FLEA INSECTICIDE

Revision date : 2016/11/18
Version: 4.0

Page: 10/15
(30628483/SDS_CPA_US/EN)

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Information on: pyrethrum

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Information on: n-Octyl bicycloheptene dicarboximide

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Information on: Distillates, petroleum

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Other Information

Misuse can be harmful to health.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

12. Ecological Information

Toxicity

Toxicity to fish

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-
LC50 (96 h) > 0.270 mg/l, Lepomis macrochirus

Information on: pyrethrum
LC50 (96 h) 0.0052 mg/l, Oncorhynchus mykiss (static)
LC50 (96 h) 0.01 mg/l, Lepomis macrochirus

Information on: n-Octyl bicycloheptene dicarboximide
LC50 (96 h) 2.4 mg/l, Lepomis macrochirus (other, Flow through.)
LC50 (96 h) 1.4 mg/l, Oncorhynchus mykiss (other, Flow through.)

Information on: permethrin
LC50 (96 h) 0.012 mg/l, Salmo salar

Information on: Distillates, petroleum
LL50 (96 h) 2 - 5 mg/l, Oncorhynchus mykiss (OECD Guideline 203, semistatic)

Safety Data Sheet

PT ULTRACIDE PRESSURIZED FLEA INSECTICIDE

Revision date : 2016/11/18
Version: 4.0

Page: 11/15
(30628483/SDS_CPA_US/EN)

The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal values (confirmed by concentration control analytics)

Aquatic invertebrates

*Information on: pyrethrum
EC50 (48 h) 0.012 mg/l, Daphnia magna
EC50 (48 h) 0.0014 mg/l, Mysidopsis bahia*

*Information on: n-Octyl bicycloheptene dicarboximide
EC50 (48 h) 2.3 mg/l, Daphnia magna (other, Flow through.)*

*Information on: Permethrin
LC50 (24 h) 0.024 mg/l, Daphnia magna*

*Information on: Distillates, petroleum
EL50 (48 h) 1.4 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)
The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*

Aquatic plants

*Information on: Distillates, petroleum
EL50 (72 h) 1 - 3 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)
The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.
No observed effect concentration (72 h) 1 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)
The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*

Chronic toxicity to fish

*Information on: permethrin
No observed effect concentration 0.0003 mg/l, Pimephales promelas*

*Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-
No observed effect concentration (95 d) 0.0043 mg/l, Oncorhynchus mykiss*

*Information on: pyrethrum
No observed effect concentration 0.0019 mg/l, Pimephales promelas*

Chronic toxicity to aquatic invertebrates

*Information on: permethrin
No observed effect concentration (30 d) 0.000011 mg/l, Mysidopsis bahia*

*Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-
No observed effect concentration (21 d) 0.00002 mg/l, Daphnia magna*

Safety Data Sheet

PT ULTRACIDE PRESSURIZED FLEA INSECTICIDE

Revision date : 2016/11/18
Version: 4.0

Page: 12/15
(30628483/SDS_CPA_US/EN)

Information on: pyrethrum
No observed effect concentration (28 d) 0.00086 mg/l, Daphnia magna

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: Permethrin

Not readily biodegradable (by OECD criteria). Poorly biodegradable. Well eliminable from water by adsorption on activated sludge.

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-

Not readily biodegradable (by OECD criteria).

Information on: pyrethrum

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment bioaccumulation potential

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-

Information on: pyrethrum

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: pyrethrum

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Additional information

Safety Data Sheet

PT ULTRACIDE PRESSURIZED FLEA INSECTICIDE

Revision date : 2016/11/18
Version: 4.0

Page: 13/15
(30628483/SDS_CPA_US/EN)

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport

USDOT

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1, EHSM
Proper shipping name: AEROSOLS (contains ALKANES, PERMETHRIN)

Sea transport

IMDG

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1, EHSM
Marine pollutant: YES
Proper shipping name: AEROSOLS (contains ALKANES, PERMETHRIN)

Air transport

IATA/ICAO

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1
Proper shipping name: AEROSOLS, FLAMMABLE

Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US blocked / not listed

Crop Protection TSCA, US released / exempt

Safety Data Sheet

PT ULTRACIDE PRESSURIZED FLEA INSECTICIDE

Revision date : 2016/11/18
Version: 4.0

Page: 14/15
(30628483/SDS_CPA_US/EN)

EPCRA 311/312 (Hazard categories): Acute; Chronic

<u>CERCLA RQ</u>	<u>CAS Number</u>	<u>Chemical name</u>
1 LBS	8003-34-7	Pyrethrins

State regulations

<u>State RTK</u>	<u>CAS Number</u>	<u>Chemical name</u>
PA	64742-47-8	Distillates, petroleum
MA	64742-47-8	Distillates, petroleum
NJ	64742-47-8	Distillates, petroleum

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:
EXTREMELY FLAMMABLE.
KEEP OUT OF REACH OF CHILDREN.
KEEP OUT OF REACH OF DOMESTIC ANIMALS.
HARMFUL IF SWALLOWED.
HARMFUL IF INHALED.
HARMFUL IF ABSORBED THROUGH SKIN.

Do not breathe vapours/mists.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly after handling.

Aerosol container contains flammable gas under pressure.

16. Other Information

SDS Prepared by:
BASF NA Product Regulations
SDS Prepared on: 2016/11/18

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR

Safety Data Sheet

PT ULTRACIDE PRESSURIZED FLEA INSECTICIDE

Revision date : 2016/11/18

Page: 15/15

Version: 4.0

(30628483/SDS_CPA_US/EN)

TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET