

# SAFETY DATA SHEET



## TEMPO® SC ULTRA INSECTICIDE

Version 3.0 / USA  
102000012497

1/10  
Revision Date: 02/22/2018  
Print Date: 02/23/2018

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### Product identifier

**Trade name** TEMPO® SC ULTRA INSECTICIDE  
**Product code (UVP)** 06523803  
**SDS Number** 102000012497  
**EPA Registration No.** 432-1363

#### Relevant identified uses of the substance or mixture and uses advised against

**Use** Insecticide  
**Restrictions on use** See product label for restrictions.

#### Information on supplier

**Supplier** Bayer Environmental Science  
2 T.W. Alexander Drive  
Research Triangle PK, NC 27709  
USA  
**Responsible Department** Email: SDSINFO.BCS-NA@bayer.com  
**Emergency telephone no.**  
**Emergency Telephone Number (24hr/ 7 days)** 1-800-334-7577  
**Product Information Telephone Number** 1-800-331-2867

### SECTION 2: HAZARDS IDENTIFICATION

**Classification in accordance with regulation HCS 29CFR §1910.1200**  
Acute toxicity(Oral): Category 4

**Labelling in accordance with regulation HCS 29CFR §1910.1200**



**Signal word:** Warning

**Hazard statements**  
Harmful if swallowed.

**Precautionary statements**  
Wash hands and face thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

# SAFETY DATA SHEET



## TEMPO® SC ULTRA INSECTICIDE

Version 3.0 / USA  
102000012497

2/10  
Revision Date: 02/22/2018  
Print Date: 02/23/2018

Rinse mouth.  
Dispose of contents/container in accordance with local regulation.

### Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.  
No health hazards not otherwise classified.

---

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Hazardous Component Name | CAS-No.      | Concentration % by weight |
|--------------------------|--------------|---------------------------|
| Beta-Cyfluthrin          | 1820573-27-0 | 11.8                      |

---

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

|                       |   |
|-----------------------|---|
| <b>General advice</b> | When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.  |
| <b>Inhalation</b>     | Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.  |
| <b>Skin contact</b>   | Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.   |
| <b>Eye contact</b>    | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.   |
| <b>Ingestion</b>      | Call a physician or poison control center immediately. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Rinse out mouth and give water in small sips to drink. Never give anything by mouth to an unconscious person. Do not leave victim unattended. |

### Most important symptoms and effects, both acute and delayed

|   |   |
|---|---|
| <b>Symptoms</b>   | To date no symptoms are known.  |
| <b>Indication of any immediate medical attention and special treatment needed</b> |   |
| <b>Treatment</b>  | Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote. |

---

# SAFETY DATA SHEET



## TEMPO® SC ULTRA INSECTICIDE

Version 3.0 / USA  
102000012497

3/10  
Revision Date: 02/22/2018  
Print Date: 02/23/2018

---

### SECTION 5: FIREFIGHTING MEASURES

#### Extinguishing media

**Suitable** Water, Foam, Dry chemical

**Unsuitable** None known.

**Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire.

#### Advice for firefighters

**Special protective equipment for firefighters** Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

**Further information** Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Evacuate personnel to safe areas. Keep out of smoke. Do not allow run-off from fire fighting to enter drains or water courses.

**Flash point** > 93.4 °C

**Auto-ignition temperature** No data available

**Lower explosion limit** No data available

**Upper explosion limit** No data available

**Explosivity** Not applicable

---

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Precautions** Isolate hazard area. Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces.

#### Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations. Decontaminate tools and equipment following cleanup.

**Additional advice** Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

# SAFETY DATA SHEET



## TEMPO® SC ULTRA INSECTICIDE

Version 3.0 / USA  
10200012497

4/10  
Revision Date: 02/22/2018  
Print Date: 02/23/2018

### SECTION 7: HANDLING AND STORAGE

#### Precautions for safe handling

**Advice on safe handling** Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.  
Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

#### Conditions for safe storage, including any incompatibilities

**Requirements for storage areas and containers** Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

| Components      | CAS-No.      | Control parameters              | Update | Basis    |
|-----------------|--------------|---------------------------------|--------|----------|
| Beta-Cyfluthrin | 1820573-27-0 | 0.01 mg/m <sup>3</sup><br>(TWA) |        | OES BCS* |

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### Exposure controls

##### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

**Hand protection** Chemical resistant nitrile rubber gloves

**Eye protection** Tightly fitting safety goggles

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

**General protective measures** Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.  
Keep and wash PPE separately from other laundry.

# SAFETY DATA SHEET



## TEMPO® SC ULTRA INSECTICIDE

Version 3.0 / USA  
102000012497

5/10  
Revision Date: 02/22/2018  
Print Date: 02/23/2018

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|   |                                     |
|---|-------------------------------------|
| <b>Appearance</b>                             | white to beige                      |
| <b>Physical State</b>                         | viscous liquid suspension           |
| <b>Odor</b>                                   | chalk-like                          |
| <b>Odour Threshold</b>                        | No data available                   |
| <b>pH</b>                                     | 3.5 - 5.5 at 10 %                   |
| <b>Vapor Pressure</b>                         | No data available                   |
| <b>Vapor Density (Air = 1)</b>                | No data available                   |
| <b>Density</b>                                | ca. 1.06 g/cm <sup>3</sup> at 20 °C |
| <b>Evaporation rate</b>                       | No data available                   |
| <b>Boiling Point</b>                          | No data available                   |
| <b>Melting / Freezing Point</b>               | No data available                   |
| <b>Water solubility</b>                       | No data available                   |
| <b>Solubility in other solvents</b>           | No data available                   |
| <b>Minimum Ignition Energy</b>                | Not applicable                      |
| <b>Decomposition temperature</b>              | Not applicable                      |
| <b>Partition coefficient: n-octanol/water</b> | No data available                   |
| <b>Viscosity</b>                              | 600 - 1,100 cps                     |
| <b>Flash point</b>                            | > 93.4 °C                           |
| <b>Auto-ignition temperature</b>              | No data available                   |
| <b>Lower explosion limit</b>                  | No data available                   |
| <b>Upper explosion limit</b>                  | No data available                   |
| <b>Explosivity</b>                            | Not applicable                      |

### SECTION 10: STABILITY AND REACTIVITY

|   |   |
|---|---|
| <b>Reactivity</b>                         |   |
| <b>Thermal decomposition</b>              | Not applicable  |
| <b>Chemical stability</b>                 | Stable under normal conditions.                             |
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use. |

# SAFETY DATA SHEET



## TEMPO® SC ULTRA INSECTICIDE

Version 3.0 / USA  
102000012497

6/10  
Revision Date: 02/22/2018  
Print Date: 02/23/2018

---

|   |  |
|---|--|
| <b>Conditions to avoid</b>              | freezing   |
| <b>Incompatible materials</b>           | Alkali metals, Methanol  |
| <b>Hazardous decomposition products</b> | No decomposition products expected under normal conditions of use. |

---

### SECTION 11: TOXICOLOGICAL INFORMATION

**Exposure routes** Eye contact, Inhalation, Skin contact, Skin Absorption

#### Immediate Effects

**Eye** Moderate eye irritation may occur.

**Skin** Harmful if absorbed through skin.

**Ingestion** Harmful if swallowed.

**Inhalation** Harmful if inhaled.

#### Information on toxicological effects

**Acute oral toxicity** LD50 (male Rat) 960 mg/kg  
LD50 (female Rat) 1,150 mg/kg

**Acute inhalation toxicity** LC50 (male/female combined Rat) > 1.72 mg/l  
Exposure time: 4 h  
Determined in the form of liquid aerosol.  
Highest attainable concentration.

**Acute dermal toxicity** LD50 (male/female combined Rat) > 2,000 mg/kg

**Skin irritation** No skin irritation (Rabbit)

**Eye irritation** Mild eye irritation. (Rabbit)

**Sensitisation** Non-sensitizing. (Guinea pig)

#### Assessment STOT Specific target organ toxicity – repeated exposure

The toxic effects of Beta-Cyfluthrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.

#### Assessment mutagenicity

Beta-Cyfluthrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Beta-Cyfluthrin was not carcinogenic in lifetime feeding studies in rats and mice.

#### ACGIH

None.

#### NTP

None.

#### IARC

# SAFETY DATA SHEET



## TEMPO® SC ULTRA INSECTICIDE

Version 3.0 / USA  
102000012497

7/10  
Revision Date: 02/22/2018  
Print Date: 02/23/2018

None.

### OSHA

None.

### Assessment toxicity to reproduction

Beta-Cyfluthrin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Beta-Cyfluthrin is related to parental toxicity.

### Assessment developmental toxicity

Beta-Cyfluthrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Beta-Cyfluthrin are related to maternal toxicity.

### Further information

Acute toxicity studies have been bridged from a similar formulation(s).  
The non-acute information pertains to the active ingredient(s).

## SECTION 12: ECOLOGICAL INFORMATION

|  |  |
|--|--|
| <b>Toxicity to fish</b>                  | LC50 (Oncorhynchus mykiss (rainbow trout)) 0.000068 mg/l<br>Exposure time: 96 h<br>The value mentioned relates to the active ingredient beta-cyfluthrin.   |
| <b>Toxicity to aquatic invertebrates</b> | EC50 (Daphnia magna (Water flea)) 0.00029 mg/l<br>Exposure time: 48 h<br>The value mentioned relates to the active ingredient beta-cyfluthrin.   |
| <b>Toxicity to aquatic plants</b>        | IC50 (Desmodesmus subspicatus (green algae)) > 0.01 mg/l<br>Growth rate; Exposure time: 72 h<br>The value mentioned relates to the active ingredient beta-cyfluthrin.<br>No acute toxicity was observed at its limit of water solubility.  |
| <b>Toxicity to bacteria</b>              | EC50 (activated sludge) > 10,000 mg/l<br>The value mentioned relates to the active ingredient beta-cyfluthrin.   |
| <b>Biodegradability</b>                  | Beta-Cyfluthrin:<br>Not rapidly biodegradable  |
| <b>Koc</b>                               | Beta-Cyfluthrin: Koc: 508 - 3179   |
| <b>Bioaccumulation</b>                   | Beta-Cyfluthrin: Bioconcentration factor (BCF) 506<br>Does not bioaccumulate.  |
| <b>Mobility in soil</b>                  | Beta-Cyfluthrin: Immobile in soil  |
| <b>Environmental precautions</b>         | Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.<br>Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.<br>Do not apply when weather conditions favor runoff or drift. |

# SAFETY DATA SHEET



## TEMPO® SC ULTRA INSECTICIDE

Version 3.0 / USA  
102000012497

8/10  
Revision Date: 02/22/2018  
Print Date: 02/23/2018

Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites.  
Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.  
Apply this product as specified on the label.

---

### SECTION 13: DISPOSAL CONSIDERATIONS

#### Waste treatment methods

|                               |  |
|-------------------------------|--|
| <b>Product</b>                | Dispose in accordance with all local, state/provincial and federal regulations.<br>Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law.   |
| <b>Contaminated packaging</b> | Do not re-use empty containers.<br>Triple rinse containers.<br>Puncture container to avoid re-use.<br>Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning.<br>If burned, stay out of smoke.<br>Follow advice on product label and/or leaflet. |
| <b>RCRA Information</b>       | Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.  |

---

### SECTION 14: TRANSPORT INFORMATION

|                          |  |
|--------------------------|--|
| <b>49CFR</b>             | Not dangerous goods / not hazardous material                                       |
| <b>IMDG</b>              |  |
| UN number                | <b>3082</b>  |
| Class                    | 9  |
| Packaging group          | III  |
| Marine pollutant         | YES  |
| Proper shipping name     | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(BETA-CYFLUTHRIN SOLUTION)  |
| <b>IATA</b>              |  |
| UN number                | <b>3082</b>  |
| Class                    | 9  |
| Packaging group          | III  |
| Environm. Hazardous Mark | YES  |
| Proper shipping name     | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(BETA-CYFLUTHRIN SOLUTION ) |



# SAFETY DATA SHEET



## TEMPO® SC ULTRA INSECTICIDE

Version 3.0 / USA  
102000012497

9/10  
Revision Date: 02/22/2018  
Print Date: 02/23/2018

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

---

### SECTION 15: REGULATORY INFORMATION

**EPA Registration No.** 432-1363

**US Federal Regulations**

**TSCA list**

1,2-Propanediol 57-55-6

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**

Not applicable.

**SARA Title III - Section 302 - Notification and Information**

None.

**SARA Title III - Section 313 - Toxic Chemical Release Reporting**

Beta-Cyfluthrin 1820573-27-0

**US States Regulatory Reporting**

**CA Prop65**

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

**US State Right-To-Know Ingredients**

|                 |              |        |
|-----------------|--------------|--------|
| Beta-Cyfluthrin | 1820573-27-0 | NJ, RI |
| 1,2-Propanediol | 57-55-6      | MN, RI |

#### **EPA/FIFRA Information:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

**Signal word:** Caution!

**Hazard statements:** Harmful if swallowed, inhaled or absorbed through the skin.  
Moderate eye irritation.  
Avoid contact with skin, eyes and clothing.  
Avoid breathing spray mist.  
Wash thoroughly with soap and water after handling.

---

### SECTION 16: OTHER INFORMATION

#### **Abbreviations and acronyms**

49CFR Code of Federal Regulations, Title 49

# SAFETY DATA SHEET



## TEMPO® SC ULTRA INSECTICIDE

Version 3.0 / USA  
102000012497

10/10  
Revision Date: 02/22/2018  
Print Date: 02/23/2018

|         |   |
|---------|---|
| ACGIH   | US. ACGIH Threshold Limit Values                                      |
| ATE     | Acute toxicity estimate   |
| CAS-Nr. | Chemical Abstracts Service number                                     |
| CERCLA  | Comprehensive Environmental Response, Compensation, and Liability Act |
| EINECS  | European inventory of existing commercial substances                  |
| ELINCS  | European list of notified chemical substances                         |
| IARC    | International Agency for Research on Cancer                           |
| IATA    | International Air Transport Association                               |
| IMDG    | International Maritime Dangerous Goods                                |
| N.O.S.  | Not otherwise specified   |
| NTP     | US. National Toxicology Program (NTP) Report on Carcinogens           |
| OECD    | Organization for Economic Co-operation and Development                |
| TDG     | Transportation of Dangerous Goods                                     |
| TWA     | Time weighted average   |
| UN      | United Nations  |
| WHO     | World health organisation   |

### NFPA 704 (National Fire Protection Association):

Health - 1      Flammability - 1      Instability - 0      Others - none

### HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1      Flammability - 1      Physical Hazard - 0      PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** The following sections have been revised: Section 2: Hazards Identification. Reviewed and updated for general editorial purposes.

**Revision Date:** 02/22/2018

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.